Emory Neurodevelopment and Exposure Clinic

Quarterly Report | October 2019 - December 2019

SERVICES PROVIDED

39 Multidisciplinary or diagnostic evaluations

13 Follow-up assessments and care

68 Multidisciplinary case conferences

67 Encounters for cognitive rehabilitation services

98 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

SUBSTANCES USED DURING PREGNANCY



FASD PREVALENCE

The clinic saw **12 (23.53%)** diagnosed cases of **FASD**. Of these, **7 (58.33%)** of the cases were **FAS**.

NAS PREVALENCE



The clinic had **7 (13.73%)** reported cases of **NAS** attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse	**11.11%**
Sexual Abuse	**2.22%**
Deprivation or Neglect	**44.44%**
Multiple Placements	**53.33%**

GUARDIANSHIP/CAREGIVER DATA



MATERNAL STATISTICS

- **18 (35.29%)** of mothers had known current or history of incarceration
- **21 (41.18%)** of mothers had known current or history of diagnosed mental health conditions
- **35 (68.63%)** of mothers were reported to be polysubstance users

Emory Neurodevelopment and Exposure Clinic

Quarterly Report | January 2020 - March 2020

SERVICES PROVIDED

40 Multidisciplinary or diagnostic evaluations

12 Follow-up assessments and care

67 Multidisciplinary case conferences

72 Encounters for cognitive rehabilitation services

101 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

SUBSTANCES USED DURING PREGNANCY



FASD PREVALENCE

The clinic saw **18 (30.50%)** diagnosed cases of **FASD**. Of these, **6 (33.33%)** of the cases were **FAS**.

NAS PREVALENCE



The clinic had **8 (13.56%)** reported cases of **NAS** attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse	**13.56%**
Sexual Abuse	**3.39%**
Deprivation or Neglect	**37.29%**
Multiple Placements	**54.24%**

GUARDIANSHIP/CAREGIVER DATA



MATERNAL STATISTICS

- **14 (23.73%)** of mothers had known current or history of incarceration
- **28 (47.46%)** of mothers had known current or history of diagnosed mental health conditions
- **42 (71.19%)** of mothers were reported to be polysubstance users

Emory Neurodevelopment and Exposure Clinic

Quarterly Report | April 2020 - June 2020

SERVICES PROVIDED

34 Multidisciplinary or diagnostic evaluations

10 Follow-up assessments and care

0 Multidisciplinary case conferences

37 Encounters for cognitive rehabilitation services

47 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

SUBSTANCES USED DURING PREGNANCY



FASD PREVALENCE

The clinic saw **20 (40.82%)** diagnosed cases of **FASD**. Of these, **12 (60.0%)** of the cases were **FAS**.

NAS PREVALENCE



The clinic had **5 (10.20%)** reported cases of **NAS** attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse	**6.12%**
Sexual Abuse	**4.08%**
Deprivation or Neglect	**32.65%**
Multiple Placements	**42.86%**

*ACE data not reported or missing for 36.73% of patients this quarter

GUARDIANSHIP/CAREGIVER DATA



MATERNAL STATISTICS

- **16 (32.65%)** of mothers had known current or history of incarceration
- **33 (67.35%)** of mothers had known current or history of diagnosed mental health conditions
- **41 (83.67%)** of mothers were reported to be polysubstance users

Emory Neurodevelopment and Exposure Clinic

Quarterly Report | July 2020 - September 2020

SERVICES PROVIDED

24 Multidisciplinary or diagnostic evaluations

3 Follow-up assessments and care

15 Multidisciplinary case conferences

27 Encounters for cognitive rehabilitation services

62 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

SUBSTANCES USED DURING PREGNANCY



FASD PREVALENCE

The clinic saw **7 (25.00%)** diagnosed cases of **FASD**. Of these, **3 (42.86%)** of the cases were **FAS**.

NAS PREVALENCE



The clinic had **3 (10.71%)** reported cases of **NAS** attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse	**17.86%**
Sexual Abuse	**3.57%**
Deprivation or Neglect	**28.57%**
Multiple Placements	**35.71%**

*ACE data not reported or missing for 42.86% of patients this quarter

GUARDIANSHIP/CAREGIVER DATA



MATERNAL STATISTICS

- **9 (32.14%)** of mothers had known current or history of incarceration
- **15 (53.57%)** of mothers had known current or history of diagnosed mental health conditions
- **21 (75.00%)** of mothers were reported to be polysubstance users