Emory Neurodevelopment and Exposure Clinic

Quarterly Report | Q1 2024 | October 2023 - December 2023

SERVICES PROVIDED

20 Multidisciplinary or diagnostic evaluations

7 Follow-up assessments and care

34 Multidisciplinary case conferences

50 Encounters for cognitive rehabilitation services

70 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

GUARDIANSHIP/CAREGIVER DATA



ADVERSE CHILDHOOD EXPERIENCES

Multiple Placements | 30%

Deprivation or Neglect |13%

Physical or Emotional Abuse | 4%

Sexual Abuse | 0%

MATERNAL STATISTICS

- **6(26%)** of the mothers had a known current or history of diagnosed mental health conditions.
- **4(17%)** of the mothers had a known current or history of incarceration.

NAS PREVALENCE

The clinic had **3(13%)** reported cases of Neonatal Abstinence Syndrome (NAS) attributable to prenatal opiate exposure at birth.

SUBSTANCES USED DURING PREGNANCY



FAS PREVALENCE

The clinic had **6(26%)** reported cases of Fetal Alcohol Syndrome (FAS).

D·B·H·D·D

Georgia Department of Behavioral Health & Developmental Disabilities

Emory Neurodevelopment and Exposure Clinic

Georgia Department of Behavioral Health & Developmental Disabilities

Quarterly Report | July 2023 - September 2023

SERVICES PROVIDED

23 Multidisciplinary or diagnostic evaluations

5 Follow-up assessments and care

36 Multidisciplinary case conferences

54 Encounters for cognitive rehabilitation services

108 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

SUBSTANCES USED DURING PREGNANCY



FAS PREVALENCE

The clinic had **8 (34.78%)** reported cases of Fetal Alcohol Syndrome (FAS).

NAS PREVALENCE

The clinic had **6(26.09%)** reported cases of Neonatal Abstinence Syndrome (NAS) attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse | 4.35%

Sexual Abuse | 0%

Deprivation or Neglect | 8.70%

Multiple Placements | 8.70%

GUARDIANSHIP/CAREGIVER DATA



MATERNAL STATISTICS

- **7(10.94%)** of the mothers had a known current or history of diagnosed mental health conditions.
- **5(7.81%)** of the mothers had a known current or history of incarceration.

Emory Neurodevelopment and Exposure Clinic

Georgia Department of Behavioral Health & Developmental Disabilities

Quarterly Report | April 2023 - June 2023

SERVICES PROVIDED

27 Multidisciplinary or diagnostic evaluations

6 Follow-up assessments and care

50 Multidisciplinary case conferences

49 Encounters for cognitive rehabilitation services

106 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



1 Catoosa
2 Douglas
3 Barrow
4 Clarke
5 Taliaferro
6 Rockdale
7 Clayton
8 Fayette
9 Glascock
10 Chattahoochee
11 Schley
12 Webster
13 Treutlen
14 Montgomery

SUBSTANCES USED DURING PREGNANCY



FAS PREVALENCE

The clinic had **6(22.22%)** reported cases of Fetal Alcohol Syndrome (FAS).

NAS PREVALENCE

The clinic had **2(7.41%)** reported cases of Neonatal Abstinence Syndrome (NAS) attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse | 3.70%

Sexual Abuse | 0%

Deprivation or Neglect | 22.22%

Multiple Placements | 33.33%

MATERNAL STATISTICS

- **7(9.59%)** of the mothers had known current or history of diagnosed mental health conditions.
- **7(9.59%)** of the mothers had known current or history of incarceration.

GUARDIANSHIP/CAREGIVER DATA



Emory Neurodevelopment and Exposure Clinic

Georgia Department of Behavioral Health & Developmental Disabilities

Quarterly Report | January 2023 - March 2023

SERVICES PROVIDED

27 Multidisciplinary or diagnostic evaluations

4 Follow-up assessments and care

29 Multidisciplinary case conferences

68 Encounters for cognitive rehabilitation services

106 Behavioral interventions with children and families

COUNTIES PATIENTS RESIDE



SUBSTANCES USED DURING PREGNANCY



FAS PREVALENCE

The clinic had **9** (**33.33%**) reported cases of Fetal Alcohol Syndrome (FAS).

NAS PREVALENCE

The clinic had **4** (**14.81%**) reported cases of Neonatal Abstinence Syndrome (NAS) attributable to prenatal opiate exposure at birth.

ADVERSE CHILDHOOD EXPERIENCES

Physical or Emotional Abuse | 0%

Sexual Abuse | 0%

Deprivation or Neglect | 18.52%

Multiple Placements | 25.93%

MATERNAL STATISTICS

- **10**(**13.70%**) of the mothers had known current or history of diagnosed mental health conditions.
- **13** (**17.81%**) of the mothers had known current or history of incarceration.

GUARDIANSHIP/CAREGIVER DATA